

# Y-S Products

# USB 3.0 Cable



Coordinate Measurement Machine



Automatic Mating/Un-mating Tester



LCR Meter

## Main Testing Equipment



8-WAY Refits Tester



Vacuum Impregnation



Network Analyzer

## USB 3.0 CABLE

SuperSpeed USB brings significant performance enhancements to the ubiquitous USB standard, while remaining compatible with the billions of USB enabled devices currently deployed in the market. SuperSpeed USB will deliver 10x the data transfer rate of Hi-Speed USB, as well as 100% power efficiency.

SuperSpeed USB has a 5 Gbps signaling rate offering 10x performance increase over Hi-Speed USB. SuperSpeed USB is a Sync-to-Go technology that minimizes user wait-time. SuperSpeed USB will provide Optimized Power Efficiency: No device polling and lower active and idle power requirements.

SuperSpeed USB is backwards compatible with USB 2.0. Devices interoperate with USB 2.0 platforms. Hosts support USB 2.0 legacy devices.



Model:	USB 3.0 Cable
USB 3.0 Cable for USB 3.0 Cable	
Material:	PVC, ABS/PCAL
Spec:	2870K, 2870K, 2870K
Color:	BLACK/OPTION
Cable Approval:	UL
Connector Approval:	UL



Model:	USB 3.0 Cable
USB 3.0 Cable for USB 3.0 Cable	
Material:	PVC, ABS/PCAL
Spec:	2870K, 2870K, 2870K
Color:	BLACK/OPTION
Cable Approval:	UL
Connector Approval:	UL



Model:	USB 3.0 Cable
USB 3.0 Cable for USB 3.0 Cable	
Material:	PVC, ABS/PCAL
Spec:	2870K, 2870K, 2870K
Color:	BLACK/OPTION
Cable Approval:	UL
Connector Approval:	UL

# USB 3.0 Cable & HDMI Super Speed Cable

## USB 3.0 CABLE



Model:	USB 3.0 Cable
Extension:	1.5M & 3M (to USB 3.0 port)
Feature:	PSY-MOLDING
Spool:	3000PCS, 3000PCS, 3000PCS
Color:	RED OR OPTIONS
Cable Approval:	UK
Connector Approval:	UK



Model:	USB 3.0 Cable
Extension:	1.5M & 3M (to USB 3.0 port)
Feature:	PSY-MOLDING
Spool:	3000PCS, 3000PCS, 3000PCS
Color:	RED OR OPTIONS
Cable Approval:	UK
Connector Approval:	UK



Model:	USB 3.0 Cable
Extension:	1.5M & 3M (to USB 3.0 port)
Feature:	PSY-MOLDING
Spool:	3000PCS, 3000PCS, 3000PCS
Color:	RED OR OPTIONS
Cable Approval:	UK
Connector Approval:	UK



Model:	USB 3.0 Cable
Extension:	1.5M & 3M (to USB 3.0 port)
Feature:	PSY-MOLDING
Spool:	3000PCS, 3000PCS, 3000PCS
Color:	RED OR OPTIONS
Cable Approval:	UK
Connector Approval:	UK

## HDMI 1.4 (HDMI D Type)



Consumers will have a choice of the following HDMI cables:

- Standard HDMI Cable – supports data rates up to 1080000;
- High Speed HDMI Cable – supports data rates beyond 1080p, including Deep Color and all 3D formats of the new 1.4 specification;
- Standard HDMI Cable with Ethernet – includes Ethernet connectivity;
- High Speed HDMI Cable with Ethernet – includes Ethernet connectivity;
- Automotive HDMI Cable – allows the connection of external HDMI-enabled devices to an in-vehicle HDMI device.

# HDMI 1.3 Cable, Adapter & Mini DisplayPort Cable

## HDMI 1.3 (Adapter) Cable



Item	HDMI 1.3 (HDMI)
Material	ALUMINUM/ABS/PCB
Spec	2000
Color	OPTIONAL
Cable Approval	UL
Connector Approval	UL



Item	HDMI 1.3 (HDMI)
Material	PVC/ABS/PCB
Spec	HDMI 1.3 (HDMI)
Color	OPTIONAL
Connector Approval	UL



Item	HDMI 1.3 (HDMI) (HDMI 1.3)
Material	PVC/ABS/PCB
Spec	HDMI 1.3 (HDMI) (HDMI 1.3)
Color	OPTIONAL
Connector Approval	UL



Item	HDMI 1.3 (HDMI) (HDMI 1.3)
Material	PVC/ABS/PCB
Spec	HDMI 1.3 (HDMI) (HDMI 1.3)
Color	OPTIONAL
Connector Approval	UL

## Mini DisplayPort Cable



Item	Mini DisplayPort (Mini DisplayPort)
Material	ASSEMBLY
Spec	10000
Color	OPTIONAL
Cable Approval	UL
Connector Approval	UL



Item	Mini DisplayPort (Mini DisplayPort)
Material	ASSEMBLY
Spec	10000
Color	OPTIONAL
Cable Approval	UL
Connector Approval	UL



Item	Mini DisplayPort (Mini DisplayPort)
Material	ASSEMBLY
Spec	10000
Color	OPTIONAL
Cable Approval	UL
Connector Approval	UL



Item	Mini DisplayPort (Mini DisplayPort)
Material	PVC/ABS/PCB
Spec	Mini DisplayPort (Mini DisplayPort)
Color	OPTIONAL
Connector Approval	UL



Item	Mini DisplayPort (Mini DisplayPort)
Material	PVC/ABS/PCB
Spec	Mini DisplayPort (Mini DisplayPort)
Color	OPTIONAL
Connector Approval	UL

# Mini DisplayPort & Mini DVI Cable

## Mini DisplayPort Cable



Item#	Mini DisplayPort to USB Adapter
Extension:	PVC HOUSING
Spec:	Mini DisplayPort to USB Single Stage
Color:	OPTIONAL
Connector Approval:	UL



Item#	Mini DisplayPort to FireWire Adapter
Extension:	PVC HOUSING
Spec:	Mini DisplayPort to FireWire
Color:	OPTIONAL
Connector Approval:	UL



Item#	Mini DisplayPort to VGA Cable
Extension:	PVC HOUSING
Spec:	30M
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Item#	Mini DisplayPort to DVI Cable
Extension:	PVC HOUSING
Spec:	200CM
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Item#	Mini DisplayPort to HDMI Cable
Extension:	PVC HOUSING
Spec:	30CM
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL

## Mini DVI (DVI) Cable



Item#	Mini DVI to DVI Adapter
Extension:	PVC HOUSING
Spec:	30CM
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Item#	Mini DVI to VGA Adapter
Extension:	PVC HOUSING
Spec:	12CM
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Item#	Mini DVI to DVI Cable
Extension:	PVC HOUSING
Spec:	30CM
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Item#	Mini DVI to HDMI Cable
Extension:	21NC, 30CM GOLD PLATED
	PEARL WEAVE FURON
Spec:	30CM
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL

# IEEE 1384B Adapter, Powered USB Cable & DisplayPort Cable/Adapter

## IEEE 1394 Adapter & Powered USB



Series	IEEE 1394 to IEEE 1384B
Structure	PCB MOUNTING
Spec	IEEE 1394A to IEEE 1384B
Color	OPTIONAL
Connector Approval	UL



Series	IEEE 1394 to IEEE 1384B
Structure	PCB MOUNTING
Spec	IEEE 1394A to IEEE 1384B
Color	OPTIONAL
Connector Approval	UL



Series	Powered USB to FireWire (IEEE 1394)
Structure	ASSEMBLY
Spec	IEEE
Color	OPTIONAL
Cable Approval	UL
Connector Approval	UL

## DisplayPort Cable and Adaptor

DisplayPort 1.1 supports a maximum of 8.64 Gbits data rate over a 2 meter cable, and version 1.2 supports up to 17.2 Gbits.

Maximum length 15 meters for video transmission resolution at least 1920 x 1080 pixel at 24bpp, 3 meters for full bandwidth transmission, made of materials of either copper or optical fibre.



Series	DisplayPort 1.0 Female
Structure	ASSEMBLY
Spec	DP1.0/1.1
Color	BLACK, WHITE
Cable Approval	UL
Connector Approval	UL



Series	DisplayPort 1.0 Male
Structure	ASSEMBLY
Spec	DP1.0/1.1
Color	BLACK, WHITE
Cable Approval	UL
Connector Approval	UL



Series	DisplayPort 1.0 Female
Structure	ASSEMBLY
Spec	DP1.0/1.1
Color	BLACK, WHITE
Cable Approval	UL
Connector Approval	UL



Series	DisplayPort Multi-Stream
Structure	PCB MOUNTING
Spec	DisplayPort Multi-Stream
Color	OPTIONAL
Connector Approval	UL

# DisplayPort Cable/Adapter & SATA Cable

## DisplayPort Cable and Adaptor



Model	DP100K Male - DisplayPort Female
Material	PVC, ABS, 24K Gold
Speed	HDMI Male - DisplayPort Female
Color	OPPOSITE
Connector Approval	UL



Model	DP100K Male - DisplayPort Female
Material	PVC, ABS, 24K Gold
Speed	DP100K Male - DisplayPort Female
Color	OPPOSITE
Connector Approval	UL



Model	DP100K Male - DisplayPort Male
Material	PVC, ABS, 24K Gold
Speed	HDMI Male - DisplayPort Male
Color	OPPOSITE
Connector Approval	UL



Model	DP100K Female - DisplayPort Male
Material	PVC, ABS, 24K Gold
Speed	HDMI Female - DisplayPort Male
Color	OPPOSITE
Connector Approval	UL



Model	DisplayPort Male - DisplayPort Male
Material	ALUMINUM DIE CAST
Speed	2024 10G
Color	Black
Cable Approval	UL
Connector Approval	UL

## Serial ATA (Micro SATA, Slim SATA, eSATA+USB) Cable



Model	Micro SATA 15Pin Male to Female
Material	PVC, ABS, 24K Gold
Speed	2022
Color	RED
Cable Approval	UL
Connector Approval	UL



Model	Micro SATA 15Pin Male to SATA 15Pin Male
Material	PVC, ABS, 24K Gold
Speed	2022
Color	RED
Cable Approval	UL
Connector Approval	UL



Model	Micro SATA 15Pin Female to SATA 15Pin Male
Material	PVC, ABS, 24K Gold
Speed	2022
Color	RED
Cable Approval	UL
Connector Approval	UL



Model	Micro SATA 15Pin Male to Female
Material	PVC, ABS, 24K Gold
Speed	2022
Color	RED
Cable Approval	UL
Connector Approval	UL

# SATA Cable & Mini USB (Micro USB) Cable

## Serial ATA (Micro SATA, Slim SATA, eSATA+USB) Cable



Model:	YSA-120108-04-001 (108cm)
Extension:	PVC MOLDED
Specs:	202003
Color:	Black
Cable Approval:	UK
Connector Approval:	UK



Model:	YSA-120108-14-001 (108cm)
Extension:	PVC MOLDED
Specs:	202003
Color:	Black
Cable Approval:	UK
Connector Approval:	UK



Model:	YSA-120108-15-001 (108cm)
Extension:	PVC MOLDED
Specs:	202003
Color:	Black
Cable Approval:	UK
Connector Approval:	UK

## Mini USB Cable



Model:	YMU-1188-A-1188 A Type
Extension:	PVC MOLDED
Specs:	2020 0024
Color:	OPTIC/PA
Cable Approval:	UK
Connector Approval:	UK



Model:	YMU-1188-B-1188 B Type
Extension:	PVC MOLDED
Specs:	2020 0024
Color:	OPTIC/PA
Cable Approval:	UK
Connector Approval:	UK



Model:	YMU-1188-C-1188 C Type
Extension:	PVC MOLDED
Specs:	2020 0024
Color:	OPTIC/PA
Cable Approval:	UK
Connector Approval:	UK



Model:	YMU-1188-D-1188 D Type
Extension:	PVC MOLDED
Specs:	2020 0024
Color:	OPTIC/PA
Cable Approval:	UK
Connector Approval:	UK



Model:	YMU-1188-E-1188 E Type
Extension:	ASSEMBLY
Specs:	2020 0024
Color:	OPTIC/PA
Cable Approval:	UK
Connector Approval:	UK



# Mini USB (Micro USB) Cable & Cat 7 LAN Cable

## Mini USB Cable



Mini USB 3F Male Type

Model	Mini USB 3F Male Type - USB A Male
Material	PVC BORDING
Spec	2018, 2024
Color	OPTIONAL
Cable Approval	UL
Connector Approval	UL



Cigarette Plug Charging

Mini USB 3F Type

Model	Mini USB 3F Type - Cigarette Plug
Material	PVC BORDING
Spec	20
Color	OPTIONAL
Cable Approval	UL
Connector Approval	UL



Mini USB 3F Type

Model	Mini USB 3F Type - D-sub Connector
Material	PVC BORDING
Spec	2018, 2024
Color	OPTIONAL
Cable Approval	UL
Connector Approval	UL



Mini USB 3F Type

Model	Mini USB 3F Type - USB A Male - 1.8m
Material	PVC BORDING
Spec	2018
Color	OPTIONAL
Cable Approval	UL
Connector Approval	UL



Mini USB 3F Type

Model	Mini USB 3F Type - USB A Male - 3m
Material	PVC BORDING
Spec	2018, 2024, 2024S
Color	OPTIONAL
Cable Approval	UL
Connector Approval	UL

## CAT 7 Cable, CAT 6a Cable



Model	Mini - RJ45 CAT 7
Material	PVC BORDING
Spec	2018
Color	OPTIONAL
Cable Approval	UL
Connector Approval	UL

Model	Mini - RJ45 CAT 6a
Material	PVC BORDING
Spec	2018
Color	OPTIONAL
Cable Approval	UL
Connector Approval	UL

# HDMI Cable

## High Definition Multimedia Interface



Item:	HDMI CABLE
Exterior:	PVC MOULDING
Spec:	2028 AWG
Color:	BLACK
Cable Approval:	UL
Connector Approval:	HDMI



Item:	HDMI FEMALE CABLE
Exterior:	PVC MOULDING
Spec:	2028/2029 AWG
Color:	BLACK
Cable Approval:	UL
Connector Approval:	HDMI



Item:	HDMI FEM
Exterior:	PVC MOULDING
Spec:	2028/2029 AWG
Color:	WHITE
Cable Approval:	UL
Connector Approval:	HDMI



Item:	HDMI CABLE
Exterior:	20 AWG SHIELDING Braid
Spec:	2028 AWG
Color:	YELLOW Braid, COIL OR OPTION
Cable Approval:	UL
Connector Approval:	HDMI



Item:	HDMI CABLE
Exterior:	ALUMINIUM SHIELD
Spec:	2028 AWG
Color:	SILVER
Cable Approval:	UL
Connector Approval:	HDMI

## High Definition Multimedia Interface



Item:	HDMI CABLE
Exterior:	PVC MOULDING
Spec:	2028 AWG
Color:	BLACK
Cable Approval:	UL
Connector Approval:	HDMI



Item:	HDMI FEMALE CABLE
Exterior:	PVC MOULDING
Spec:	2028 AWG
Color:	BLACK
Cable Approval:	UL
Connector Approval:	HDMI



Item:	HDMI FEM FEMALE
Exterior:	PVC MOULDING
Spec:	20 AWG
Color:	BLACK
Cable Approval:	UL
Connector Approval:	HDMI



Item:	HDMI FEMALE HDMI FEMALE 1.1
Exterior:	PVC MOULDING
Spec:	2028 AWG 1.1a
Color:	BLACK
Cable Approval:	UL
Connector Approval:	HDMI



Item:	HDMI FEMALE HDMI
Exterior:	PVC MOULDING
Spec:	2028 AWG 1.1a
Color:	BLACK
Cable Approval:	UL
Connector Approval:	HDMI

# HDMI & DVI Cable

## High Definition Multimedia Interface



Part No.	HDMI-1080P-300003-CABLE
Extension	PVC WELDING
Spec	20.00M
Color	BLACK
Cable Approval	UL
Connector Approval	HDMI



Part No.	HDMI-1080P-300004-CABLE
Extension	PVC WELDING+FILTER
Spec	20.00M
Color	BLACK
Cable Approval	UL
Connector Approval	HDMI



Part No.	HDMI-1080P-300005-CABLE
Extension	PVC WELDING+FILTER
Spec	20.00M
Color	BLACK
Cable Approval	UL
Connector Approval	HDMI



Part No.	HDMI-1080P-300006-CABLE
Extension	PVC WELDING+2 FILTER
Spec	20.00M
Color	BLACK
Cable Approval	UL
Connector Approval	HDMI



Part No.	HDMI-1080P-300007-CABLE
Extension	PVC WELDING+2 FILTER
Spec	20.00M
Color	BLACK
Cable Approval	UL
Connector Approval	HDMI

## Digital Visual Interface



Part No.	DVI-D-200001-CABLE
Extension	PVC WELDING+2 FILTER
Spec	20.00M
Color	BLACK/OPTIONS
Cable Approval	UL
Connector Approval	UL



Part No.	DVI-D-200002-CABLE
Extension	PVC WELDING+2 FILTER
Spec	20.00M
Color	BLACK/OPTIONS
Cable Approval	UL
Connector Approval	UL



Part No.	DVI-D-200003-CABLE
Extension	PVC WELDING
Spec	20.00M
Color	BLACK/OPTIONS
Cable Approval	UL
Connector Approval	UL



Part No.	DVI-D-200004-CABLE
Extension	PVC WELDING+2 FILTER
Spec	20.00M
Color	BLACK/OPTIONS
Cable Approval	UL
Connector Approval	UL



Part No.	DVI-D-200005-CABLE
Extension	PVC WELDING+2 FILTER
Spec	20.00M
Color	BLACK/OPTIONS
Cable Approval	UL
Connector Approval	UL

# DVI Cable & Adapter Series

## Digital Visual Interface



Series:	DVI-D to VGA
External:	DVI-D (20 PIN) / VGA (15 PIN) / 15 PIN
Spec:	2425A/B/C
Color:	ANY COLOR BRAND, COLOR OPTIONS
Cable Approval:	UL
Connector Approval:	UL



Series:	DVI-D to RGB (DVI-D to RCA)
External:	PVC HOUSING
Spec:	2425A/B/C
Color:	BLACK/OPTIONS
Cable Approval:	UL
Connector Approval:	UL



Series:	DVI-D to DVI-D (DVI-D to DVI-D)
External:	PVC HOUSING
Spec:	2425A/B/C
Color:	BLACK/OPTIONS
Cable Approval:	UL
Connector Approval:	UL



Series:	DVI-D to DVI-D (DVI-D to DVI-D)
External:	PVC HOUSING
Spec:	2425A/B/C
Color:	PURPLE/BLACK
Cable Approval:	UL
Connector Approval:	UL



Series:	DVI-D to DVI-D (DVI-D to DVI-D)
External:	PVC HOUSING
Spec:	2425A/B/C
Color:	PURPLE/BLACK
Cable Approval:	UL
Connector Approval:	UL

## Adapter Series



Series:	DVI-D to VGA (DVI-D to VGA)
External:	PVC HOUSING
Spec:	2425A/B/C
Color:	OPTIONAL
Connector Approval:	UL



Series:	USB to DVI-D (USB to DVI-D)
External:	PVC HOUSING
Spec:	2425A/B/C
Color:	OPTIONAL
Connector Approval:	UL



Series:	USB to DVI-D (USB to DVI-D)
External:	PVC HOUSING
Spec:	2425A/B/C
Color:	OPTIONAL
Connector Approval:	UL



Series:	DVI-D to DVI-D (DVI-D to DVI-D)
External:	PVC HOUSING
Spec:	2425A/B/C
Color:	OPTIONAL
Connector Approval:	UL



Series:	DVI-D to DVI-D (DVI-D to DVI-D)
External:	PVC HOUSING
Spec:	2425A/B/C
Color:	OPTIONAL
Connector Approval:	UL

# Adapter Series & SATA Cable

## Adapter Series



Series	IDE to SATA Adapter
Extension:	PVC HOUSING
Spec:	IDE to SATA
Color:	OPTIONAL
Connector Approval:	UL



Series	SATA to SATA Adapter
Extension:	PVC HOUSING
Spec:	SATA to SATA
Color:	OPTIONAL
Connector Approval:	UL



Series	SATA to SATA Adapter with SATA to IDE Adapter
Extension:	PVC HOUSING
Spec:	SATA to SATA
Color:	OPTIONAL
Connector Approval:	UL



Series	SATA to SATA Adapter with SATA to SATA Adapter
Extension:	PVC HOUSING
Spec:	SATA to SATA
Color:	OPTIONAL
Connector Approval:	UL



Series	SATA to SATA Adapter with SATA to SATA Adapter
Extension:	PVC HOUSING
Spec:	SATA to SATA
Color:	OPTIONAL
Connector Approval:	UL

## Serial ATA Series



Series	SATA to SATA Cable
Extension:	PVC HOUSING
Spec:	SATA to SATA
Color:	RED
Cable Approval:	UL
Connector Approval:	UL



Series	SATA to SATA Cable
Extension:	PVC HOUSING
Spec:	SATA to SATA
Color:	RED
Cable Approval:	UL
Connector Approval:	UL



Series	SATA to SATA Cable with SATA to SATA Adapter
Extension:	PVC HOUSING
Spec:	SATA to SATA
Color:	RED
Cable Approval:	UL
Connector Approval:	UL



Series	SATA to SATA Cable with SATA to SATA Adapter
Extension:	PVC HOUSING
Spec:	SATA to SATA
Color:	RED
Cable Approval:	UL
Connector Approval:	UL



Series	SATA to SATA Cable
Extension:	PVC HOUSING
Spec:	SATA to SATA
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL

# SATA Cable & Flat Cable Assy

## Serial ATA Series



Series:	SATA 7-PIN
Extension:	PVC ASSEMBLING
Spec:	30 AWG
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Series:	SATA 15-PIN-IDE 16/18-PIN-IDE
Extension:	PVC ASSEMBLING
Spec:	26/28 AWG
Color:	RED
Cable Approval:	UL
Connector Approval:	UL



Series:	SATA 15-PIN-IDE 14 15 PIN
Extension:	PVC ASSEMBLING
Spec:	28 AWG
Color:	2 COLORS
Cable Approval:	UL
Connector Approval:	UL



Series:	SATA 15-PIN-IDE 15 PIN
Extension:	PVC ASSEMBLING
Spec:	26/28 AWG
Color:	2 COLORS
Cable Approval:	UL
Connector Approval:	UL



Series:	SATA 15-PIN-IDE 4
Extension:	ASSEMBLY ASSEMBLING
Spec:	26 AWG
Color:	RED
Cable Approval:	UL
Connector Approval:	UL

## Flat Cable Series



Series:	IDE 40-PIN AMP
Extension:	IDE 40-PIN AMP
Spec:	26 AWG
Color:	GRAY
Cable Approval:	UL
Connector Approval:	UL



Series:	SATA 15-PIN-CABLE
Extension:	ATA 15-PIN ASSEMBLY
Spec:	26 AWG
Color:	GRAY
Cable Approval:	UL
Connector Approval:	UL



Series:	ATA 15-PIN-CABLE
Extension:	BLUE-GRAY-BLACK ASSEMBLY
Spec:	26 AWG
Color:	YELLOW
Cable Approval:	UL
Connector Approval:	UL



Series:	IDE 15-CABLE
Extension:	BLUE-BLACK
Spec:	26 AWG
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Series:	ATA 15-CABLE
Extension:	BLUE-GRAY-BLACK ASSEMBLY
Spec:	26 AWG
Color:	BLU/OPTIONAL
Cable Approval:	UL
Connector Approval:	UL

# Flat Cable & USB 2.0 Cable

## Flat Cable Series



Series:	30P FLAT CABLE
Extension:	30C30PIN ASSEMBLY (PITCH 1.27)
Spec:	30 AWG
Color:	GRAY
Cable Approval:	UL
Connector Approval:	UL



Series:	30C-30P
Extension:	ASSEMBLY
Spec:	30 AWG
Color:	GRAY
Cable Approval:	UL
Connector Approval:	UL



Series:	2P-2P FLAT CABLE
Extension:	ASSEMBLY
Spec:	28 AWG
Color:	GRAY
Cable Approval:	UL
Connector Approval:	UL



Series:	30P FLAT CABLE
Extension:	30C-30P (PIN) + METAL BRACKET
Spec:	30 AWG
Color:	GRAY
Cable Approval:	UL
Connector Approval:	UL



Series:	30C-30C (MULTI)
Extension:	ASSEMBLY
Spec:	30 AWG
Color:	MULTI COLOURED
Cable Approval:	UL
Connector Approval:	UL

## Universal Serial Bus Series



Series:	USB-A-30P (M) OR USB-A-30P (F)
Extension:	UL-30P (M) OR UL-30P (F)
Spec:	30C30 AWG OR 28C30 AWG
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Series:	USB-A-30P (M) OR USB-A-30P (F)
Extension:	PVC MOLDING
Spec:	30C30 AWG OR 28C30 AWG
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Series:	USB-A-30P (M) OR USB-A-30P (F)
Extension:	PVC MOLDING
Spec:	30C30 AWG OR 28C30 AWG
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Series:	USB-B-30P (M) OR USB-B-30P (F)
Extension:	PVC MOLDING
Spec:	30C30 AWG OR 28C30 AWG
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Series:	USB-B-30P (M) OR USB-B-30P (F)
Extension:	PVC MOLDING
Spec:	30C30 AWG OR 28C30 AWG
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL

# USB 2.0 Cable & IEEE 1394 WireFire Cable

## Universal Serial Bus Series



Series:	USB 2.0 (90001) TO USB 2.0 (90001)
Exterior:	PVC WEAVING
Spec:	2428 AWG OR 2028 AWG
Color:	OPTIONS
Cable Approval:	UL
Connector Approval:	UL



Series:	USB 2.0 (90001) TO MINI-B (90001)
Exterior:	PVC WEAVING
Spec:	2428 AWG OR 2028 AWG
Color:	OPTIONS
Cable Approval:	UL
Connector Approval:	UL



Series:	USB 2.0 (90001) TO MINI-A (90001)
Exterior:	PVC WEAVING
Spec:	2428 AWG OR 2028 AWG
Color:	OPTIONS
Cable Approval:	UL
Connector Approval:	UL



Series:	USB 2.0 (90001) TO FIREWIRE (90001)
Exterior:	PVC WEAVING
Spec:	2428 AWG OR 2028 AWG
Color:	OPTIONS
Cable Approval:	UL
Connector Approval:	UL



Series:	USB 2.0 (90001) TO FIREWIRE (90001)
Exterior:	PVC WEAVING
Spec:	2428 AWG OR 2028 AWG
Color:	OPTIONS
Cable Approval:	UL
Connector Approval:	UL

## IEEE 1394 Series



Series:	IEEE 1394-A (90001) TO IEEE 1394-A (90001)
Exterior:	PVC WEAVING
Spec:	2228 AWG OR 2228 AWG
Color:	OPTIONS
Cable Approval:	UL
Connector Approval:	UL



Series:	IEEE 1394-A (90001) TO IEEE 1394-A (90001)
Exterior:	PVC WEAVING
Spec:	2228 AWG OR 2228 AWG
Color:	OPTIONS
Cable Approval:	UL
Connector Approval:	UL



Series:	IEEE 1394-A (90001) TO IEEE 1394-A (90001)
Exterior:	PVC WEAVING
Spec:	2228 AWG OR 2228 AWG
Color:	OPTIONS
Cable Approval:	UL
Connector Approval:	UL



Series:	IEEE 1394-A (90001) TO IEEE 1394-A (90001)
Exterior:	PVC WEAVING-2 FILTER
Spec:	2228 AWG OR 2228 AWG
Color:	OPTIONS
Cable Approval:	UL
Connector Approval:	UL



Series:	IEEE 1394-A (90001) TO IEEE 1394-A (90001)
Exterior:	PVC WEAVING-2 FILTER
Spec:	2228 AWG OR 2228 AWG
Color:	OPTIONS
Cable Approval:	UL
Connector Approval:	UL



# IEEE 1394 WireFire Cable & NetWork LAN Cable

## IEEE 1394 Series



Model	IEEE 1394-4 PIN MALE - 302 (100M)
Extension	PVC HOLDING
Spec	2428 AWG
Color	OPTIONAL
Cable Approval	UL
Connector Approval	UL



Model	IEEE 1394-4 PIN MALE - 402 (100M)
Extension	PVC HOLDING
Spec	2228 AWG
Color	OPTIONAL
Cable Approval	UL
Connector Approval	UL



Model	IEEE 1394-4 PIN MALE - 402 (100M - 40M)
Extension	PVC HOLDING
Spec	2428 AWG
Color	OPTIONAL
Cable Approval	UL
Connector Approval	UL



Model	IEEE 1394-4 PIN MALE - 402 (100M - 40M)
Extension	PVC HOLDING
Spec	2228AWG OR 2228 AWG
Color	OPTIONAL
Cable Approval	UL
Connector Approval	UL



Model	IEEE 1394-4 PIN MALE - 402 (100M - 40M)
Extension	PVC HOLDING + 3 FEET
Spec	2228AWG OR 2228 AWG
Color	OPTIONAL
Cable Approval	UL
Connector Approval	UL

## Network LAN Series



Model	8Pc-8Pc CABLE
Extension	ASSEMBLY BOOT
Spec	2428 AWG
Color	OPTIONAL
Cable Approval	UL
Connector Approval	UL



Model	8Pc-8Pc CABLE (10/100)
Extension	PVC HOLDING
Spec	2428 AWG
Color	OPTIONAL
Cable Approval	UL
Connector Approval	UL



Model	8Pc-8Pc CABLE (10/100)
Extension	ASSEMBLY BOOT
Spec	2428 AWG
Color	OPTIONAL
Cable Approval	UL
Connector Approval	UL



Model	8Pc-8Pc Flat Cable
Extension	ASSEMBLY
Spec	2428 AWG
Color	OPTIONAL
Cable Approval	UL
Connector Approval	UL



Model	8Pc-8Pc (10/100/1000) (1000)
Extension	ASSEMBLY
Spec	2428 AWG
Color	OPTIONAL
Cable Approval	UL
Connector Approval	UL

# Network LAN Cable & SCSI Cable

## Network LAN Series



Series	SPK-001-1000000-20-C000-L00
Material:	PVC BOUT
Spec:	1000 AWG
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Series	SPK-002-1000000-20-C000-L00
Material:	PVC HOUSING
Spec:	1000 AWG
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Series	SPK-003-1000000-20-C000-L00
Material:	PVC HOUSING
Spec:	1000 AWG
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Series	SPK-004-1000000-20-C000-L00
Material:	PVC HOUSING
Spec:	1000 AWG
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Series	SPK-005-1000000-20-C000-L00
Material:	PVC HOUSING
Spec:	1000 AWG
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL

## SCSI Cable Series



Series	SCS-001-1000000-20-C000-L00
Material:	PVC HOUSING
Spec:	1000 AWG
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Series	SCS-002-1000000-20-C000-L00
Material:	ASSEMBLY
Spec:	1000 AWG
Color:	EDGE
Cable Approval:	UL
Connector Approval:	UL



Series	SCS-003-1000000-20-C000-L00
Material:	ASSEMBLY
Spec:	1000 AWG
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Series	SCS-004-1000000-20-C000-L00
Material:	ASSEMBLY
Spec:	1000 AWG
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Series	SCS-005-1000000-20-C000-L00
Material:	PVC HOUSING
Spec:	1000 AWG
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL

# SCSI Cable & Computer Cable Series

## SCSI Cable Series



Model	50P-15P SCSI Cable - 1.5M (1.5M)
Exterior:	PVC HOLDING
Spec:	28P AWG
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Model	50P-15P SCSI Cable - 1.5M (1.5M)
Exterior:	PVC HOLDING
Spec:	28P AWG
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Model	50P-15P SCSI Cable - 1.5M (1.5M)
Exterior:	PVC HOLDING-FILTER
Spec:	28 AWG
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Model	50P-15P SCSI Cable - 1.5M (1.5M)
Exterior:	PVC HOLDING
Spec:	28P AWG
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Model	50P-15P SCSI Cable - 1.5M (1.5M)
Exterior:	PVC HOLDING-FILTER
Spec:	28P AWG
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL

## Computer Cable Series



Model	50P-15P SCSI Cable - 1.5M (1.5M)
Exterior:	ABS/PCY WORD-FILTER
Spec:	28P AWG
Color:	OPTIONAL
Cable Approval:	UL OR NO UL
Connector Approval:	UL



Model	50P-15P SCSI Cable - 1.5M (1.5M)
Exterior:	PVC HOLDING-FILTER
Spec:	28P AWG
Color:	OPTIONAL
Cable Approval:	UL OR NO UL
Connector Approval:	UL



Model	50P-15P SCSI Cable - 1.5M (1.5M)
Exterior:	PVC HOLDING
Spec:	28P AWG
Color:	OPTIONAL
Cable Approval:	UL OR NO UL
Connector Approval:	UL



Model	50P-15P SCSI Cable - 1.5M (1.5M)
Exterior:	ABS/PCY
Spec:	28P AWG
Color:	OPTIONAL
Cable Approval:	UL OR NO UL
Connector Approval:	UL



Model	50P-15P SCSI Cable - 1.5M (1.5M)
Exterior:	PVC HOLDING
Spec:	28P AWG
Color:	OPTIONAL
Cable Approval:	UL OR NO UL
Connector Approval:	UL

# Computer Cable Series

## Computer Cable Series



Model	08 12 19008 07 Pin- 08 21 19008 07 Pin
Extension:	PVC WELDING
Spec:	2838AWG
Color:	OPTIONAL
Cable Approval:	UL OR NO UL
Connector Approval:	UL



Model	08 12 19008 07 Pin- 08 21 19008 07 Pin
Extension:	PVC WELDING
Spec:	2838AWG
Color:	OPTIONAL
Cable Approval:	UL OR NO UL
Connector Approval:	UL



Model	08 12 19008 07 Pin- 08 21 19008 07 Pin
Extension:	PVC WELDING
Spec:	2838AWG
Color:	OPTIONAL
Cable Approval:	UL OR NO UL
Connector Approval:	UL



Model	08 12 19008 07 Pin
Extension:	PVC WELDING
Spec:	2838AWG
Color:	OPTIONAL
Cable Approval:	UL OR NO UL
Connector Approval:	UL



Model	08 12 19008 07 Pin- 08 21 19008 07 Pin
Extension:	ASSEMBLY
Spec:	2838AWG
Color:	OPTIONAL
Cable Approval:	UL OR NO UL
Connector Approval:	UL

## Computer Cable Series



Model	08 12 19008 07 Pin
Extension:	PVC WELDING
Spec:	2838AWG
Color:	OPTIONAL
Cable Approval:	UL OR NO UL
Connector Approval:	UL



Model	08 12 19008 07 Pin- 08 21 19008 07 Pin
Extension:	PVC WELDING
Spec:	2838AWG
Color:	OPTIONAL
Cable Approval:	UL OR NO UL
Connector Approval:	UL



Model	08 12 19008 07 Pin- 08 21 19008 07 Pin
Extension:	PVC WELDING
Spec:	2838AWG
Color:	OPTIONAL
Cable Approval:	UL OR NO UL
Connector Approval:	UL



Model	08 12 19008 07 Pin- 08 21 19008 07 Pin
Extension:	PVC WELDING
Spec:	2838AWG
Color:	OPTIONAL
Cable Approval:	UL OR NO UL
Connector Approval:	UL



Model	08 12 19008 07 Pin- 08 21 19008 07 Pin
Extension:	PVC WELDING
Spec:	2838AWG
Color:	OPTIONAL
Cable Approval:	UL OR NO UL
Connector Approval:	UL

# Computer Cable & VGA Cable

## Computer Cable Series



Model	1000-0001 (10m) 1000-0002 (20m)
Exterior:	PVC MOULDING
Spec:	283449C
Color:	OPTIONAL
Cable Approval:	UL DRAGULA
Connector Approval:	UL



Model	1000-0001 (10m) 1000-0002 (20m)
Exterior:	PVC MOULDING
Spec:	283449C
Color:	OPTIONAL
Cable Approval:	UL DRAGULA
Connector Approval:	UL



Model	1000-0001 (10m) 1000-0002 (20m)
Exterior:	PVC MOULDING
Spec:	283449C
Color:	OPTIONAL
Cable Approval:	UL DRAGULA
Connector Approval:	UL



Model	1000-0001 (10m) 1000-0002 (20m)
Exterior:	PVC MOULDING
Spec:	283449C
Color:	OPTIONAL
Cable Approval:	UL DRAGULA
Connector Approval:	UL



Model	1000-0001 (10m) 1000-0002 (20m)
Exterior:	PVC MOULDING
Spec:	283449C
Color:	OPTIONAL
Cable Approval:	UL DRAGULA
Connector Approval:	UL

## VGA Cable Series



Model	1000-0001 (10m) 1000-0002 (20m)
Exterior:	PVC MOULDING
Spec:	283449C
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Model	1000-0001 (10m) 1000-0002 (20m)
Exterior:	PVC MOULDING-FILTER
Spec:	283449C
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Model	1000-0001 (10m) 1000-0002 (20m)
Exterior:	PVC MOULDING-FILTER
Spec:	283449C
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Model	1000-0001 (10m) 1000-0002 (20m)
Exterior:	PVC MOULDING-FILTER
Spec:	283449C
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Model	1000-0001 (10m) 1000-0002 (20m)
Exterior:	PVC MOULDING-FILTER
Spec:	283449C
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL

# VGA Cable & KVM Cable

## VGA Cable Series



Series	SKU (100000001)-000 (100000001)
Extension:	PVC HOLDING
Spec:	28300000
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Series	SKU (100000001)-000 (100000001)
Extension:	PVC HOLDING+FILTER
Spec:	28300000
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Series	SKU (100000001)-000 (100000001)
Extension:	ASSEMBLY
Spec:	28300000
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Series	SKU (100000001)-000 (100000001)
Extension:	PVC HOLDING+FILTER
Spec:	28300000
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Series	SKU (100000001)-100 (100000001)
Extension:	PVC HOLDING
Spec:	28300000
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL

## KVM Series



Series	SKU (100)
Extension:	PVC HOLDING+FILTER
Spec:	28300000
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Series	SKU (100)
Extension:	PVC HOLDING+FILTER
Spec:	28300000
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Series	SKU (100)
Extension:	PVC HOLDING
Spec:	28300000
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Series	SKU (100+100)
Extension:	PVC HOLDING+FILTER
Spec:	28300000
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL



Series	SKU (100)
Extension:	PVC HOLDING
Spec:	28300000
Color:	OPTIONAL
Cable Approval:	UL
Connector Approval:	UL

# KVM Cable & RF Cable

## KVM Series



Model	SLA-P2-U-PS/2-10M
Extension	PVC INSULATING
Spec	3030MM
Color	OPTICUM
Cable Approval	UL
Connector Approval	UL



Model	SLA-P2-U-PS/2-10M
Extension	PVC INSULATING+FILTER
Spec	3030MM
Color	OPTICUM
Cable Approval	UL
Connector Approval	UL



Model	SLA-PS/2
Extension	PVC INSULATING+FILTER
Spec	3030MM
Color	OPTICUM
Cable Approval	UL
Connector Approval	UL



Model	SLA-PS/2
Extension	PVC INSULATING+FILTER
Spec	3030MM
Color	OPTICUM
Cable Approval	UL
Connector Approval	UL



Model	SLA-PS/2-10M-100MM
Extension	PVC INSULATING
Spec	3030MM
Color	OPTICUM
Cable Approval	UL
Connector Approval	UL

## RF Series



Model	T-3030-PS/2-10M-100MM
Extension	PVC INSULATING
Spec	3030MM
Color	BLACK
Cable Approval	UL
Connector Approval	UL



Model	RF-10M
Extension	PVC INSULATING
Spec	3030MM
Color	BLACK
Cable Approval	UL
Connector Approval	UL



Model	10M-PS/2-10M-100MM
Extension	PVC INSULATING
Spec	3030MM
Color	BLACK
Cable Approval	UL
Connector Approval	UL



Model	10M-PS/2-10M-100MM
Extension	PVC INSULATING
Spec	3030MM
Color	BLACK
Cable Approval	UL
Connector Approval	UL



Model	RF-10M-100MM-100MM
Extension	PVC INSULATING
Spec	3030MM
Color	BLACK
Cable Approval	UL
Connector Approval	UL

# Power Supply Cable

## Wire Harness Series



Part No.	PC701 2.0mm Wire Harness
Extension:	ASSEMBLY
Spec:	30AWG
Color:	OPTIUM
Cable Approval:	US
Connector Approval:	US



Part No.	PC701 2.0mm Wire Harness
Extension:	ASSEMBLY
Spec:	30AWG
Color:	GREEN-YELLOW
Cable Approval:	US
Connector Approval:	US



Part No.	PC701 2.0mm Wire Harness
Extension:	ASSEMBLY
Spec:	30AWG
Color:	OPTIUM
Cable Approval:	US
Connector Approval:	US



Part No.	PC701 2.0mm Wire Harness
Extension:	ASSEMBLY
Spec:	30AWG
Color:	OPTIUM
Cable Approval:	US
Connector Approval:	US



Part No.	PC701 2.0mm Wire Harness
Extension:	ASSEMBLY
Spec:	30AWG
Color:	OPTIUM
Cable Approval:	US
Connector Approval:	US

## Wire Harness Series



Part No.	PC701 2.0mm Wire Harness
Extension:	ASSEMBLY
Spec:	30AWG
Color:	BLACK
Cable Approval:	US
Connector Approval:	US



Part No.	PC701 2.0mm Wire Harness
Extension:	ASSEMBLY
Spec:	30AWG
Color:	OPTIUM
Cable Approval:	US
Connector Approval:	US



Part No.	PC701 2.0mm Wire Harness
Extension:	ASSEMBLY
Spec:	30AWG
Color:	OPTIUM
Cable Approval:	US
Connector Approval:	US



Part No.	PC701 2.0mm Wire Harness
Extension:	ASSEMBLY
Spec:	30AWG
Color:	OPTIUM
Cable Approval:	US
Connector Approval:	US



Part No.	PC701 2.0mm Wire Harness
Extension:	ASSEMBLY
Spec:	30AWG
Color:	OPTIUM
Cable Approval:	US
Connector Approval:	US



# Audio/Video Cable

## Audio/Video Cable Series



Series	STEREO RCA 3E
Extension	PVC INSULING
Specs	305MMXG
Color	OPTIONAL
Cable Approval	UL OR NO UL
Connector Approval	UL



Series	STEREO 1.5' - 10000 1.5' 1.5'
Extension	PVC INSULING
Specs	305MMXG
Color	OPTIONAL
Cable Approval	UL OR NO UL
Connector Approval	UL



Series	STEREO 1.5' - 10000 1.5'
Extension	PVC INSULING
Specs	305MMXG
Color	OPTIONAL
Cable Approval	UL OR NO UL
Connector Approval	UL



Series	STEREO 1.5' - 10000 1.5'
Extension	PVC INSULING
Specs	305MMXG
Color	OPTIONAL
Cable Approval	UL OR NO UL
Connector Approval	UL



Series	STEREO 1.5' - 10000 1.5'
Extension	PVC INSULING
Specs	305MMXG
Color	OPTIONAL
Cable Approval	UL OR NO UL
Connector Approval	UL

## Audio/Video Cable Series



Series	STEREO 1.5' - 10000 1.5'
Extension	PVC INSULING
Specs	305MMXG
Color	OPTIONAL
Cable Approval	UL OR NO UL
Connector Approval	UL



Series	STEREO 1.5' - 10000 1.5'
Extension	PVC INSULING
Specs	305MMXG
Color	OPTIONAL
Cable Approval	UL OR NO UL
Connector Approval	UL



Series	STEREO 1.5' - 10000 1.5'
Extension	PVC INSULING
Specs	305MMXG
Color	OPTIONAL
Cable Approval	UL OR NO UL
Connector Approval	UL



Series	STEREO 1.5' - 10000 1.5'
Extension	PVC INSULING
Specs	305MMXG
Color	OPTIONAL
Cable Approval	UL OR NO UL
Connector Approval	UL



Series	STEREO 1.5' - 10000 1.5'
Extension	PVC INSULING
Specs	305MMXG
Color	OPTIONAL
Cable Approval	UL OR NO UL
Connector Approval	UL

# Displayport Cable & Active Cable

## DisplayPort Cable Series



The DisplayPort is designed for internal and external system solution for high bandwidth audio and video data transfer in the notebook and PC market.

### TECHNICAL SPECIFICATIONS:

- 10.2 Gbits forward link channel supports high resolution monitors, 2560x1600, with single cable.
- 8B/10B data transmission.
- Open and extensible standard to help with broad adoption.
- Supports color depth of 6, 8, 10, 12 and 16 bits per component.
- Full bandwidth transmission for 3 meter cable.
- Enhanced bandwidth transmission, 1080p, for 15 meter cable.
- DisplayPort connector assists in blind connection by just feeling.
- 128-bit AES DisplayPort Content Protection (DPCP) support, and support for 40-bit High-Bandwidth Digital Content Protection (HDCP) from version 1.1 onwards.

## Consumer Cable Series



Series:	USB 3.0 SuperSpeed Cable
Extension:	PVC, Halving
Spec:	It is not passive extension cable. It is an active device. The USB signals going in and out of the extension cable are buffered to ensure signal quality and the meeting of the USB Electrical and Timing Specifications. Using passive cables for the purpose of extension will result in signal errors and is not recommended.
Color:	Black/Optional



Series:	USB 3.0 Cable
Extension:	PVC, Halving
Spec:	Single chip (ASIC) USB in parallel host to host communication USB full speed communication and bus powered. IEEE-1384 (FireWire)-directional parallel interface specifications compliant.
Color:	Black/Optional



Series:	USB To Serial Adapter
Extension:	PVC, Halving
Spec:	Over 200Mbps data transfer rate. It is Power from the USB Connection. No Power adapter required. Work with cellular phone, PDA, Digital Camera and Modem (No IR), No IR conflicts.
Color:	Black/Optional

# Active Cable

## Consumer Cable Series



Series:	USB 2.0 Easy Transfer Cable
Extension:	PVC Housing
Specs:	<p>Upgrade to a new computer is not easy.</p> <p>The Easy Transfer Cable offers a quick way to transfer your files and settings from your old computer to a new one. Just install the software provided on the enclosed CD into your XP computer.</p>
Color:	Transparent (Optional)



Series:	USB 2.0 to Ethernet Converter
Extension:	Plastic Shell
Specs:	<p>Looking for a quick &amp; easy way to connect your USB laptop or desktop to your network?</p> <p>One end of this USB to ethernet cable plugs into your USB port (either host or network card), while the other end connects to an RJ45 cable connected into your network. 10/100 Mbps for 10/100 Mbps, 1.75 and 1.8 compatible.</p> <p>Support both Full-Duplex and Half-Duplex operation on Fast Ethernet.</p>
Color:	Ivory-White (Optional)



Series:	USB 2.0 to USB 1.1 Adapter
Extension:	PVC Housing
Specs:	<p>Supports your to your file transfer function.</p> <p>PC-PC, Mac-Mac and PC-Mac USB interface.</p> <p>Up to 10Mbps data transfer rate (single cable solution for data communication. Not powered from either USB port. Support remote wake up file synchronization.</p>
Color:	Transparent Blue

## Consumer Cable Series



Series:	USB 2.0 to FireWire 400
Extension:	Plastic Housing
Specs:	<p>PVC Housing Or Plastic Shell Assembled Case</p> <p>10Mbps data transfer rate. Draws it's Power from the USB Connection—No Power adapter required.</p> <p>Work with cellular phone, PDA, Digital Camera, and Webcam. No IRQ, No IRQ conflict.</p>
Color:	Black (Optional) Transparent Blue

# HDMI Extender & Connector

## HDMI Extender



Series	HDMI Extension
Extension	2m, 3m, 4m, 5m, 6m, 7m, 8m, 9m, 10m, 11m, 12m, 13m, 14m, 15m, 16m, 17m, 18m, 19m, 20m, 21m, 22m, 23m, 24m, 25m, 26m, 27m, 28m, 29m, 30m, 31m, 32m, 33m, 34m, 35m, 36m, 37m, 38m, 39m, 40m, 41m, 42m, 43m, 44m, 45m, 46m, 47m, 48m, 49m, 50m, 51m, 52m, 53m, 54m, 55m, 56m, 57m, 58m, 59m, 60m, 61m, 62m, 63m, 64m, 65m, 66m, 67m, 68m, 69m, 70m, 71m, 72m, 73m, 74m, 75m, 76m, 77m, 78m, 79m, 80m, 81m, 82m, 83m, 84m, 85m, 86m, 87m, 88m, 89m, 90m, 91m, 92m, 93m, 94m, 95m, 96m, 97m, 98m, 99m, 100m
Specs	<ul style="list-style-type: none"> <li>Extend your HDMI signal up to 150 feet. Extend your cable.</li> <li>Works for PC, DVD, Projector, DTV, HD Optical Media Player, Set-top Player, Compatible with VGA, SVGA, XGA, SXGA, UXGA, Low power powered.</li> <li>Directly from most HDMI sources. Backward compatible with DVI-D interface. No software installation required.</li> </ul>
Cable	Foot White & Black

## Connector Products



# Connector

## Connector Products



## Connector Products

